

DA TUO ELECTRONIC INDUSTRIAL CO., LIMITED

Add.: No. 125, East Central Road, Yanbu, Dali Town, Nanhai District, Foshan City, Guangdong Province, China, 528247

Tel. No.: +86 757 85700562;+86 18924544082

Email: datuo@da-tuo.com

Home page: http://www.da-tuo.com;

CCTV Camera System Price List

Please contact us if you have other requirements, such as different housings, lenses, motherboard schemes, colors, etc

IP Camera





Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	8MP/5MP/2MP POE HD Resolution Optional Support H.265x Video compression Support Auto tracking Support humanoid intelligent alert double light Support Onvif,can work with third-part onvif nvr Support PTZ Support Tow-way audio Support IP66 waterproof Support Smart Dual Light Source Support ICSEE cloud storage Single Box Size/G.W:19.5*17*10.5cm/0.9KG Outer Box	N8-POE2MP	48V POE 2MP	\$14.9	\$13.9
			N8-POE4MP	48V POE 4MP	\$16.9	\$15.9
			N8-POE8MP	48V POE 8MP	\$32.9	\$30.9
	Standard: 1X Camera 1X User Manual 1X Accessory bag	Dual-lens dual-sensor dual-screen Support H.265x Video compression Support Auto tracking Support humanoid intelligent alert double light Support Onvif,can work with third-part onvif nvr Support PTZ Support Tow-way audio Support IP66 waterproof Support Smart Dual Light Source Support ICSEE cloud storage Single Box Size/G.W:16.3*15*11cm/0.9KG Outer Box	P6S-POE6MP	48V POE 6MP	\$18.9	\$17.9
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support IR Night vision,4PCS Array Leds Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Plastic Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60P-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$15.9	\$14.9
			B60P-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$21.9	\$20.9
			B60P-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$26.9	\$25.9
			B60P-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$16.9	\$15.9
			B60P-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60P-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60U-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60U-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60U-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60U-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60U-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60U-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60UB-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60UB-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60UB-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60UB-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60UB-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60UB-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60E-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60E-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60E-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60E-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60E-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60E-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9

	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60KH-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60KH-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60KH-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60KH-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60KH-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60KH-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Color Night vision,6PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60D-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60D-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60D-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60D-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60D-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60D-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Color Night vision,6PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used,IP66 waterproof Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60DB-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			B60DB-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			B60DB-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			B60DB-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			B60DB-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			B60DB-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,POE 48V 3.6mm,HD lens Support IR Night vision,6PCS Array Leds Support H.265/H.264 Video compression Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Metal Housing,Outdoor/indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:53*41*52cm/26KG/50PCS	B02-POE400	48V POE 4MP	\$20.9	\$19.9
			B02-POE500	48V POE 5MP	\$22.9	\$21.9
			B02-POE800	48V POE 8MP	\$31.0	\$30.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support IR Night vision,24pcs IR Leds Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60H-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.5	\$16.5
			B60H-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.5	\$22.5
			B60H-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.5	\$27.5
			B60H-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.5	\$17.5
			B60H-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.5	\$23.5
			B60H-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.5	\$28.5
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 2.8-12mm,HD lens Support IR Night vision,42PCS IR leds Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used Single Box Size/G.W:cm/1KG Outer Box Size/weight:cm/KG/PCS	B75H-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$25.9	\$24.9
			B75H-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$29.9	\$28.9
			B75H-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$34.9	\$33.9
			B75H-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$26.9	\$25.9
			B75H-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$31.9	\$30.9
			B75H-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$35.9	\$34.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Waterproof Lid 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 1.7mm fisheye HD lens,max 180degree angle Support IR Night vision,18PCS IR LED Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,outdoor/indoor used Single Box Size/G.W:cm/1KG Outer Box Size/weight:cm/KG/PCS	PB60A-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			PB60A-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			PB60A-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
			PB60A-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$19.9	\$18.9
			PB60A-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$25.9	\$24.9
			PB60A-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$31.9	\$30.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100

	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Audio Record,built in microphone Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Plastic Housing,indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/50PCS	D03-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$15.9	\$14.9
			D03-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$21.9	\$20.9
			D03-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$26.9	\$25.9
			D03-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$16.9	\$15.9
			D03-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$22.9	\$21.9
			D03-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$27.9	\$26.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Plastic Housing,indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/PCS	DHL08-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			DHL08-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			DHL08-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			DHL08-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			DHL08-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			DHL08-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Color Night vision,2PCS Array Dual LED Support Two Way Audio,built in mic and speaker Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Half Metal Housing,indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/PCS	D05-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			D05-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			D05-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			D05-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			D05-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			D05-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support IR Night vision, 15PCS IR Leds Support Audio Record,built in microphone Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,Outdoor/indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/PCS	D02-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			D02-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			D02-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			D02-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			D02-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			D02-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 3.6mm,HD lens Support Support IR Night vision, 24PCS IR Leds Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,Outdoor/indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/PCS	D06-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$17.9	\$16.9
			D06-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$23.9	\$22.9
			D06-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$28.9	\$27.9
			D06-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			D06-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			D06-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1x Screws 1X User Manual	IP Camera,DV 12V or 48V POE is optional 1.7mm fisheye HD lens,max 180degree angle Support IR Night vision, 3PCS IR Leds Support H.265/H.264 Video compression Support Face Detection(NVR also Face Detection) Support Motion Detection & Email Alert Support ONVIF Support 2D/3D noise reduction,DWR Mobile phone viewing (iOS,android):XMeye Metal Housing,indoor used Single Box Size/G.W:cm/0.5KG Outer Box Size/weight:cm/KG/PCS	P01-4MP	DC 12V 4MP XM 1/2.8"SC5239S+GK7205V2	\$18.9	\$17.9
			P01-5MP	DC 12V 5MP XM 1/2.8"SC5339P+GK7205V3	\$24.9	\$23.9
			P01-8MP	DC 12V 8MP XM 1/2.7"SC8239+NT98566	\$29.9	\$28.9
			P01-POE4MP	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2	\$19.9	\$18.9
			P01-POE5MP	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3	\$25.9	\$24.9
			P01-POE8MP	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$30.9	\$29.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X Bracket 1X Power Adapter 1x Screws 1X User Manual	APP:XMeye 4X Zoom, 5MP/8MP, 2 inch, IP66, IK10 HD-IP PTZ dome, full metal body construction Built-in Mic & speaker, support two-way audio SD card slot, motion detection Support P2P function, ONVIF Support XM, Onvif, Hikvision protocol Single Box Size/G.W:16.5*15*17.5cm/1.5KG Outer Box Size/weight:cm/KG/PCS	HD45F-5MP	5MP, 4X Zoom GK7502V300+SC5239P POE for optional :+USD6	\$68.0	\$66.0
			HD45F-8MP	8MP, 4X Zoom NT98566+SC8239 POE for optional :+USD6	\$73.0	\$71.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100




	Standard: 1X Camera 1x Screws 1X User Manual	Pan Rotation Range: 0°~180° , Tilt Rotation Range: -45°~+45° Pan rotation speed:30°/s, Tilt rotation speed:25°/s. Metal appearance IP66 Lightning protection: instantly 6000V 4X: 6pcs IR led IR distance 60 meters 10X: 2pcs laser led+4pcs IR led IR distance 80 meters Single Box Size/G.W:40*20*16cm/2.5KG Outer Box Size/weight:55*41*59cm/60KG/24PCS	345T-IP500W4X	GK7205V300+SC5239P 5MP(2880*1616)25FPS 4X optical Zoom POE for optional :+USD6	\$66.0	\$64.0
			345T-IP800W4X	8MP, 4X Zoom NT98566+SC8239 POE for optional :+USD6	\$76.0	\$74.0
			345T-IP500W10X	GK7205V300+SC5239P 5MP(2880*1616)25FPS 10X optical Zoom POE for optional :+USD6	\$83.0	\$79.0
			345T-IP800W10X	8MP, 10X Zoom NT98566+SC8239 POE for optional :+USD6	\$93.0	\$89.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1 x Camera 1 x User Manual 1 x Screw set	Pan Rotation Range: 0-350°,Tilt Rotation Range:0-70° Pan rotation speed:25°/s, Tilt rotation speed:20°/s. IP66 IK10 Lightning protection: instantly 3000V 4pcs IR led IR distance 30meters Single Box Size/G.W:15*15*15cm/1KG Outer Box Size/weight:65*34*47cm/24KG/24PCS	46F-IP500W4X	GK7205V300+SC5239P 5MP(2880*1616)25FPS 4X optical Zoom POE for optional :+USD6 APP: Xmeye	\$53.0	\$51.0
			46F-IP800W4X	NT98566+SC8239 8MP(3840*2160) 15FPS 4X optical Zoom POE for optional :+USD6 APP: Xmeye	\$61.0	\$59.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1 x Camera 1 x User Manual 1 x Screw set 1 x Power Adapter	4.5 inch Pan Rotation Range: 0-360°,Tilt Rotation Range:0-93° Pan rotation speed:45°/s , Tilt rotation speed:30°/s 6PCS IR LEDS Day Vision 300M Night Vision 100M Support 3D Support 3D human tracking Built-in Two-way Audio	54F-IP500W20X	GK7205V300+SC5239P 5MP(2880*1616)25FPS 20X optical Zoom With TF card slot POE for optional :+USD7 APP: Xmeye	\$86.0	\$83.0
		8MP:Human tracking is not supported Support for human form detection only	54F-IP800W20X	NT98566+SC8239 8MP(3840*2160) 15FPS 20X optical Zoom POE for optional :+USD7 TF card slot: +USD3	\$96.0	\$93.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1 x Camera 1 x User Manual 1 x Screw set 1 x Power Adapter	4.5inch Pan Rotation Range: 0-360°,Tilt Rotation Range:0-93° Pan rotation speed:45°/s , Tilt rotation speed:30°/s 4PCS IR LEDS+6PCS Dual Light LEDS Day Vision 300M Night Vision 120M Support 3D human tracking Built-in Two-way Audio	68F-IP500W20X	GK7205V300+SC5239P 5MP(2880*1616)25FPS 20X optical Zoom With TF card slot POE for optional :+USD7 APP: Xmeye	\$89.0	\$86.0
		8MP:Human tracking is not supported Support for human form detection only	68F-IP800W20X	NT98566+SC8239 8MP(3840*2160) 15FPS 20X optical Zoom POE for optional :+USD7 TF card slot: +USD3	\$99.0	\$96.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1 x Camera 1 x User Manual 1 x Screw set 1 x Power Adapter	6inch Pan Rotation Range: 0-360°,Tilt Rotation Range:0-93° Pan rotation speed:45°/s , Tilt rotation speed:30°/s 7PCS IR LEDS+2PCS Warm Light LEDS Day Vision 300M Night Vision 150M Support 3D human tracking Built-in Two-way Audio	608-IP500W20X	6 inch GK7205V300+SC5239P 5MP(2880*1616)25FPS 20X optical Zoom With TF card slot POE for optional :+USD6	\$95.0	\$92.0
		8MP:Human tracking is not supported Support for human form detection only	608-IP800W20X	NT98566+SC8239 8MP(3840*2160) 15FPS 20X optical Zoom POE for optional :+USD10 TF card slot: +USD3	\$105.0	\$102.0




POE CCTV System







Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag Box:39.5*24.5*30cm/6KG CTN:76*40.5*32cm/3	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	PN8-4MP-4	48V POE 4MP XM	\$112.0	\$110.0
			PN8-8MP-4	48V POE 8MP XM	\$169.0	\$167.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag Box:41*34.5*30cm/11KG CTN:81*42*32cm/2 sets/2KG	POE Camera Specification: IP PTZ Camera Outdoor,8.0MP/4.0MP Optional Two Way Audio , Pan Tilt Move , Humanoid detection Color Night vision , 8PCS Array Dual LED Default 3.6MM megapixel Lens	PN8-4MP-8	48V POE 4MP XM	\$189.0	\$186.0
			PN8-8MP-8	48V POE 8MP XM	\$302.0	\$299.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag Box:39.5*24.5*30cm/6KG CTN:76*40.5*32cm/3	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	P6S-6MP-4	48V POE 6MP XM	\$119.0	\$117.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag Box:41*34.5*30cm/11KG CTN:81*42*32cm/2 sets/2KG	POE Camera Specification: IP PTZ Camera Outdoor,8.0MP/4.0MP Optional Dual Lens , Dual Screen Two Way Audio , Pan Tilt Move , Humanoid detection Color Night vision , 8PCS Array Dual LED Default 3.6MM megapixel Lens	P6S-6MP-8	48V POE 6MP XM	\$203.0	\$200.0

Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>----- Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3 CTN Weight:18KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p>	PD03-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$112.0	\$110.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>POE Camera Specification: IP Camera 4.0MP Support Color Night vision,4PCS Array Dual LED Support Audio Record,built in microphone Support Face Detection Support Motion Detection Support ONVIF Power :POE 48V Plastic housing,standard IP66 waterproof</p>	PD03-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$192.0	\$189.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>----- Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3 CTN Weight:18KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p>	PB60P-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$112.0	\$110.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>POE Camera Specification: IP Camera 4.0MP Support IR Night vision,4PCS Array Leds Support Face Detection Support Motion Detection Support ONVIF Power :POE 48V Plastic housing,standard IP66 waterproof</p>	PB60P-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$192.0	\$189.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>----- Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3 CTN Weight:18KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p>	PB60U-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$119.0	\$117.0
	<p>1X 5CH POE NVR(No HDD) 5X IP Cameras 5X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 5X Screw bag</p> <p>----- Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3 CTN Weight:18KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p>	PB60U-5MP-4	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$142.0	\$140.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PB60U-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$205.0	\$202.0
	<p>1X 5CH POE NVR(No HDD) 5X IP Cameras 5X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 5X Screw bag</p> <p>----- Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PB60U-5MP-8	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$246.0	\$243.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PB60U-8MP-8	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$282.0	\$279.0
	<p>1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual</p> <p>----- Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265/H.264 Video input (IP) : 16*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port (Up to 8TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p>	PB60U-4MP-16	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$425.0	\$421.0
	<p>1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual</p> <p>----- Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG</p>	<p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PB60U-5MP-16	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$512.0	\$508.0
	<p>1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual</p> <p>----- Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG</p>	<p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PB60U-8MP-16	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$583.0	\$579.0








Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1X 32CH 4K NVR(No HDD) 24x IP Cameras 1x 24CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR Network cable not included Suggest buy CAT6 305M for \$88 Box Size:cm	NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 32*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports	PB60U-4MP-24	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$545.0	\$541.0
			PB60U-5MP-24	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$673.0	\$669.0
			PB60U-8MP-24	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$780.0	\$776.0
	1X 32CH 4K NVR(No HDD) 32X IP Cameras 2x 16CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR Network cable not included Suggest buy CAT6 305M for \$88 Box Size:81*42*32cm(不含网	Power supply : DC12V Visit remotely by cloud or APP Xmeye APP POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof	PB60U-4MP-32	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$713.0	\$709.0
			PB60U-5MP-32	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$886.0	\$882.0
			PB60U-8MP-32	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$1,028.0	\$1,024.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG	NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 16*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports	PB60DB-4MP-16	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$425.0	\$421.0
			PB60DB-5MP-16	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$512.0	\$508.0
			PB60DB-8MP-16	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$583.0	\$579.0
	1X 32CH 4K NVR(No HDD) 32X IP Cameras 2x 16CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR Network cable not included Suggest buy CAT6 305M for \$88 Box Size:81*42*32cm(不含网	Power supply : DC12V Visit remotely by cloud or APP Xmeye APP POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof	PB60DB-4MP-32	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$713.0	\$709.0
			PB60DB-5MP-32	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$886.0	\$882.0
			PB60DB-8MP-32	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$1,028.0	\$1,024.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	PD05-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$119.0	\$117.0
			PD05-5MP-4	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$135.0	\$133.0
			PD05-8MP-4	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$154.0	\$152.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2	POE Camera Specification: IP Camera indoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Audio Record,built in microphone Support Color Night vision,2PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Plastic Housing,indoor used	PD05-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$202.0	\$199.0
			PD05-5MP-8	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$233.0	\$230.0
			PD05-8MP-8	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$273.0	\$270.0
	1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG	NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports	PD05-4MP-16	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$425.0	\$421.0
			PD05-5MP-16	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$512.0	\$508.0
			PD05-8MP-16	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$583.0	\$579.0
	1X 32CH 4K NVR(No HDD) 32X IP Cameras 2x 16CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR Network cable not included Suggest buy CAT6 305M for \$88	Power supply : DC12V Visit remotely by cloud or APP Xmeye APP POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Half Metal housing,standard IP66 waterproof	PD05-4MP-32	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$713.0	\$709.0
			PD05-5MP-32	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$886.0	\$882.0
			PD05-8MP-32	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$1,028.0	\$1,024.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100

	<p>1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual</p> <p>Box Size:41*41*31cm Box Weight:15KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:30KG</p>	<p>NVR Specification: Operating System : Embedded Linux Video compression : H.265AI/H.265+ Video input (IP) : 32*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports</p>	PBD02-4MP-16	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$425.0	\$421.0
	<p>1X 32CH 4K NVR(No HDD) 32X IP Cameras 2x 16CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR</p> <p>Network cable not included Suggest buy CAT6 305M for \$88</p>	<p>Power supply : DC12V Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PBD02-5MP-16	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$512.0	\$508.0
			PBD02-8MP-16	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$583.0	\$579.0
			PBD02-4MP-32	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$713.0	\$709.0
			PBD02-5MP-32	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$886.0	\$882.0
			PBD02-8MP-32	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$1,028.0	\$1,024.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3 CTN Weight:18KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression : H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports</p>	PDHL08-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$119.0	\$117.0
			PDHL08-5MP-4	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$142.0	\$140.0
			PDHL08-8MP-4	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$159.0	\$157.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:22KG</p>	<p>Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Plastic housing,standard IP66 waterproof</p>	PDHL08-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$205.0	\$202.0
			PDHL08-5MP-8	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$246.0	\$243.0
			PDHL08-8MP-8	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$282.0	\$279.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression : H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports</p>	PBD01-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$119.0	\$117.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2</p>	<p>Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera 4.0MP Support Face Detection Support Color Night vision,4PCS Array Dual LED Support Two Way Audio,built in mic and speaker Power :POE 48V Plastic Dome and Metal Bullet</p>	PBD01-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$205.0	\$202.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>Box Size:39.5*24.5*30cm Box Weight:6KG CTN Size:76*40.5*32cm CTN QTY:3</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression : H.265AI/H.265+ Video input (IP) : 8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portuguses, Spanish, French, German etc Motion detection : Supports</p>	PD02-4MP-4	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$119.0	\$117.0
			PD02-5MP-4	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$142.0	\$140.0
			PD02-8MP-4	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$159.0	\$157.0
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>Box Size:41*34.5*30cm Box Weight:11KG CTN Size:81*42*32cm CTN QTY:2</p>	<p>Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Dome Camera Outdoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Audio Record,built in microphone Support IR Night vision,15PCS Infrared Light Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	PD02-4MP-8	48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10	\$205.0	\$202.0
			PD02-5MP-8	48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00	\$246.0	\$243.0
			PD02-8MP-8	48V POE 8MP XM 1/2.7"SC8239+NT98566	\$282.0	\$279.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100

	<p>1X 16CH POE NVR(No HDD) 16X IP Cameras 16X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual</p> <p>----- Box Size:41*41*31cm Box Weight:18KG CTN Size:81*42*32cm CTN QTY:2 CTN Weight:35KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265/H.264 Video input (IP) : 16*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 2*SATA port (Up to 8TB) ; 3.5inch HDD P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Dome Camera Outdoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Audio Record,built in microphone Support IR Night vision,15PCS Infrared Light Default 3.6MM megapixel Lens Power :POE 48V</p>	<p>PD02-4MP-16</p>	<p>48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10</p>	<p>\$425.0</p>	<p>\$421.0</p>
	<p>1X 32CH 4K NVR(No HDD) 24x IP Cameras 1x 24CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR</p> <p>Network cable not included Suggest buy CAT6 305M for \$88</p>	<p>NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 32*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : DC12V Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Dome Camera Outdoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Audio Record,built in microphone Support IR Night vision,15PCS Infrared Light Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	<p>PD02-4MP-24</p>	<p>48V POE 4MP XM 1/2.8"SC5239S+GK7205V2 10</p>	<p>\$545.0</p>	<p>\$541.0</p>
	<p>1X 32CH 4K NVR(No HDD) 32X IP Cameras 2x 16CH POE Switch 1x Power Supply for POE Switch 1x Power Supply for NVR 1X USB Mouse for NVR</p> <p>Network cable not included Suggest buy CAT6 305M for \$88</p>	<p>NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 32*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : DC12V Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Dome Camera Outdoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Audio Record,built in microphone Support IR Night vision,15PCS Infrared Light Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	<p>PD02-5MP-24</p>	<p>48V POE 5MP XM 1/2.8"SC5339P+GK7205V3 00</p>	<p>\$673.0</p>	<p>\$669.0</p>
<p>Picture</p>	<p>Package</p>	<p>Specification</p>	<p>Model No.</p>	<p>Resolution</p>	<p>1-99</p>	<p>≥100</p>
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>----- Box Size:41*19*28cm Box Weight:6KG CTN Size:53*41*52cm CTN QTY:6 CTN Weight:32KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Color Night vision,6PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	<p>POE4004F-K6</p>	<p>48V POE 4MP XM</p>	<p>\$128.0</p>	<p>\$126.0</p>
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*28*28cm Box Weight:11KG CTN Size:53*41*52cm CTN QTY:4 CTN Weight:35KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera POE,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Color Night vision,6PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal housing,standard IP66 waterproof</p>	<p>POE5004F-K6</p>	<p>48V POE 5MP XM</p>	<p>\$155.0</p>	<p>\$153.0</p>
	<p>1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag</p> <p>----- Box Size:41*19*28cm Box Weight:6KG CTN Size:53*41*52cm CTN QTY:6 CTN Weight:32KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera indoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal Housing,indoor used</p>	<p>POE4004F-K5</p>	<p>48V POE 4MP XM</p>	<p>\$125.0</p>	<p>\$123.0</p>
	<p>1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag</p> <p>----- Box Size:41*28*28cm Box Weight:11KG CTN Size:53*41*52cm CTN QTY:4 CTN Weight:35KG</p>	<p>POE NVR Specification: Operating System : Embedded Linux Video compression: H.265A/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available: Russian, English, Italian, Portugueses, Spanish, French, German etc Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP</p> <p>POE Camera Specification: IP Camera indoor,8.0MP/5.0MP/4.0MP Optional Support Face Detection Support Two Way Audio,built in mic and speaker Support Color Night vision,4PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Metal Housing,indoor used</p>	<p>POE5004F-K5</p>	<p>48V POE 5MP XM</p>	<p>\$152.0</p>	<p>\$150.0</p>
<p>Picture</p>	<p>Package</p>	<p>Specification</p>	<p>Model No.</p>	<p>Resolution</p>	<p>1-99</p>	<p>≥100</p>

	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag ----- Box Size:41*19*28cm Box Weight:6KG CTN Size:53*41*52cm	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: SATA port (Up to 10TB) P2P Remote View: Support iOS, Android Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	POE4004F-K8	48V POE 4MP XM	\$115.0	\$113.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag----- Box Size:41*28*28cm Box Weight:11KG CTN Size:53*41*52cm CTN QTY:4	POE Camera Specification: IP Camera,DV 12V or 48V POE is optional,5.0MP/4.0MP Optional Color Night vision,6PCS Array Dual LED Default 3.6MM megapixel Lens Power :POE 48V Plastic housing,standard IP66 waterproof	POE5004F-K8	48V POE 5MP XM	\$130.0	\$128.0
	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag----- Box Size:41*19*28cm Box Weight:5.5KG CTN Size:53*41*52cm CTN QTY:6	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	POE4004F-K2	48V POE 4MP XM	\$115.0	\$113.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag----- Box Size:41*28*28cm Box Weight:11KG CTN Size:53*41*52cm CTN QTY:4	POE Camera Specification: IP Camera indoor,5.0MP/4.0MP Optional Support IR Night vision,4PCS ArrayLED Default 3.6MM megapixel Lens Power :POE 48V Plastic Housing,indoor used	POE5004F-K2	48V POE 5MP XM	\$123.0	\$121.0
	1X 4CH POE NVR(No HDD) 4X IP Cameras 4X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 4X Screw bag----- Box Size:41*19*28cm Box Weight:5.5KG CTN Size:53*41*52cm CTN QTY:6	POE NVR Specification: Operating System : Embedded Linux Video compression: H.265AI/H.265+ Video input (IP) : 4/8*4K Video Outputs: HDMI, VGA Network Interface: RJ45 HDD: 1*SATA port (Up to 10TB) P2P Remote View: Support iOS, Android 20+ Languages Available Motion detection : Supports Power supply : 48V POE Visit remotely by cloud or APP Xmeye APP	POE4008F-K2	48V POE 4MP XM	\$189.0	\$186.0
	1X 8CH POE NVR(No HDD) 8X IP Cameras 8X 20M Network Cable 1X Power Supply for NVR 1X USB Mouse for NVR 1X User Manual 8X Screw bag----- Box Size:41*28*28cm Box Weight:11KG CTN Size:53*41*52cm CTN QTY:4	POE Camera Specification: IP Camera indoor,5.0MP/4.0MP Optional Support IR Night vision,4PCS ArrayLED Default 3.6MM megapixel Lens Power :POE 48V Plastic Housing,indoor used	POE5008F-K2	48V POE 5MP XM	\$193.0	\$190.0

Xmeye POE NVR

Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	4CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 4路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N1004HN-POE	4CH 1HDD 3.5inch	\$42.0	\$40.0
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	8CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 8路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N1008HN-POE	8CH 1HDD 3.5inch	\$48.0	\$46.0
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	4CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 4路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N6704HE-POE	4CH 1HDD 3.5inch	\$42.9	\$40.9
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	8CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 8路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N6708HE5-POE	8CH 1HDD 3.5inch	\$48.9	\$46.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	16CH 4K,1CH Play back,2HDD support 1ch audio in put,1ch audio out put Face Detection 16路4K,支持1路回放, 支持1路音频输出,1路输入 支持人形检测, 支持人脸检测,支持2个硬盘	N8616HE-POE	16CH 2HDD 3.5inch	\$131.0	\$127.0
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:2KG	4CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 4路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N6904HE-4K-POE	4CH 1HDD 3.5inch	\$42.9	\$40.9
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:2KG	8CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 8路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	N6908HE-4K-POE	8CH 1HDD 3.5inch	\$48.9	\$46.9
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:8KG	16CH 4K,1CH Play back,2HDD support 1ch audio in put,1ch audio out put Face Detection 16路4K,支持1路回放, 支持1路音频输出,1路输入 支持人形检测, 支持人脸检测,支持2个硬盘	NBD8916E-Q	16CH 2HDD 3.5inch	\$162.0	\$157.0


	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	11.6inch TFT EDP,4CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 4路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	V1904X85-4E	4CH 1HDD 3.5inch	\$99.0	\$96.0
	1xPOE NVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:1.5KG	11.6inch TFT EDP,8CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 8路4K, 支持1路回放, 支持1路音频输出 支持人形检测, 支持人脸检测	V1908X85-8E	8CH 1HDD 3.5inch	\$109.0	\$106.0

Xmeye NVR






Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	9CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 9路4K, 支持1路回放, 支持1路音频输出	N1009KL	9CH 1HDD 3.5inch	\$21.9	\$20.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	16CH 4K,1CH Play back,1HDD support 1ch audio out put Face Detection 16路5MP,支持1路回放, 支持1路音频输出	N1016KL	16CH 1HDD 3.5inch	\$26.9	\$25.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	32CH 4K,1CH Play back,1HDD support 1ch audio out put Face Detection 32路4K,支持1路回放, 支持1路音频输出	N1032KL	32CH 1HDD 3.5inch	\$54.9	\$52.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	9CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 9路4K, 支持1路回放, 支持1路音频输出	N6209KL	9CH 1HDD 3.5inch	\$22.5	\$21.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	16CH 4K,1CH Play back,1HDD support 1ch audio out put Face Detection 16路4K,支持1路回放, 支持1路音频输出	N6216S	16CH 1HDD 3.5inch	\$27.5	\$26.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	32CH 4K,1CH Play back,1HDD support 1ch audio out put Face Detection 32路4K,支持1路回放, 支持1路音频输出	N6232RA	32CH 1HDD 3.5inch	\$54.9	\$52.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	32CH 4K,1CH Play back,2HDD support 1ch audio out put Face Detection 32路4K,支持1路回放, 支持1路音频输出	N8232RA	32CH 2HDD 3.5inch	\$60.9	\$58.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	9CH 4K ,1CH Play back,1HDD support 1ch audio out put Face Detection 9路4K, 支持1路回放, 支持1路音频输出	N6709KL	9CH 1HDD 3.5inch	\$22.5	\$21.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	16CH 4K,1CH Play back,1HDD support 1ch audio out put Face Detection 16路4K,支持1路回放, 支持1路音频输出	N6716KL	16CH 1HDD 3.5inch	\$27.5	\$26.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	32CH 4K,1CH Play back,1HDD support 1ch audio out put support face detection 32路4K,支持1路回放, 支持1路音频输出	N6732RA	32CH 1HDD 3.5inch	\$58.0	\$56.0
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	32CH 4K,1CH Play back,2HDD support 1ch audio out put Face Detection 32路4K,支持1路回放, 支持1路音频输出	N8632KL	32CH 2HDD 3.5inch	\$60.9	\$58.9
		1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:15KG	32CH 4K,1CH Play back,4HDD support 1ch audio in put,1ch audio out put Face Detection 32路4K,支持1路回放, 支持1路音频输出,1路输入 支持人形检测, 支持人脸检测,支持4个硬盘	NVR8032F-NKL	32CH 4HDD 3.5inch	\$132.0
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	32CH 5MP,4CH Play back,8HDD support 1ch audio in put,1ch audio out put Face Detection 32路5MP,支持4路回放, 支持1路音频输出,1路输入 支持人形检测, 支持人脸检测,支持8个硬盘	NVR8032K-NKLE	32CH 8HDD 3.5inch	\$253.0	\$248.0
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	64CH 5MP,4CH Play back,8HDD support 1ch audio in put,1ch audio out put Face Detection 64路5MP,支持4路回放, 支持1路音频输出,1路输入 支持8个硬盘	NVR8064K-NKLE	64CH 8HDD 3.5inch	\$335.0	\$330.0

AHD Camera







NOTE:AHD Camera must use AHD DVR to make it working! Don't support Analog DVR /NVR,it can't directly connect to the TV/LCD monitor,please take notice!












Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,4PCS Array Leds 5-25M IR distance Plastic Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60P-AHD2MP	AHD 2MP	\$11.5	\$10.5
			B60P-AHD5MP	AHD 5MP	\$13.5	\$12.5
			B60P-AHD8MP	AHD 8MP	\$15.5	\$14.5
Picture	Package	Specification	Model No.	Resolution	1-99	≥100




	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,4PCS Array Leds 5-25M IR distance Metal Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60U-AHD2MP	AHD 2MP	\$11.9	\$10.9
			B60U-AHD5MP	AHD 5MP	\$13.9	\$12.9
			B60U-AHD8MP	AHD 8MP	\$15.9	\$14.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,4PCS Array Leds 5-25M IR distance Metal Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60UB-AHD2MP	AHD 2MP	\$11.9	\$10.9
			B60UB-AHD5MP	AHD 5MP	\$13.9	\$12.9
			B60UB-AHD8MP	AHD 8MP	\$15.9	\$14.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,6PCS Array Leds 5-25M IR distance Metal Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60KH-AHD2MP	AHD 2MP	\$12.5	\$11.5
			B60KH-AHD5MP	AHD 5MP	\$14.5	\$13.5
			B60KH-AHD8MP	AHD 8MP	\$16.5	\$15.5
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,24PCS IR Leds 5-25M IR distance Metal Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	B60H-AHD2MP	AHD 2MP	\$11.5	\$10.5
			B60H-AHD5MP	AHD 5MP	\$13.5	\$12.5
			B60H-AHD8MP	AHD 8MP	\$15.5	\$14.5
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 2.8-12mm,HD lens,CMOS Sensor,ICR IR Night vision,42PCS IR Leds 45M Max IR distance Metal Housing,outdoor/indoor used	B75H-AHD2MP	AHD 2MP	\$18.9	\$17.9
			B75H-AHD5MP	AHD 5MP	\$20.9	\$19.9
			B75H-AHD8MP	AHD 8MP	\$22.9	\$21.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,24PCS IR Leds 5-15M IR distance Metal Housing,indoor used	D02-AHD200	AHD 2MP	\$11.9	\$10.9
			D02-AHD500	AHD 5MP	\$15.9	\$14.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,24PCS IR Leds 5-15M IR distance Metal Housing,indoor used	D06-AHD2MP	AHD 2MP	\$11.9	\$10.9
			D06-AHD5MP	AHD 5MP	\$15.9	\$14.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 1.7mm fisheye HD lens,max 180degree angle CMOS Sensor,ICR IR Night vision,36PCS IR Leds 20M IR distance Plastic Housing,outdoor/indoor used Single Box Size/G.W:19.5*10*10cm/0.6KG Outer Box Size/weight:54*41*52cm/30KG/50PCS	PB60C-AHD2MP	AHD 2MP	\$15.5	\$14.5
			PB60C-AHD5MP	AHD 5MP	\$17.5	\$16.5
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 1.7mm fisheye HD lens,max 180degree angle CMOS Sensor,ICR IR Night vision,18PCS IR Leds 5-15M Max IR distance Metal Housing,outdoor/indoor used	PB60A-AHD2MP	AHD 2MP	\$15.9	\$14.9
			PB60A-AHD5MP	AHD 5MP	\$17.9	\$16.9
			PB60A-AHD8MP	AHD 8MP	\$19.9	\$18.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	Standard: 1X Camera 1X User Manual 1X Accessory bag	AHD Camera 1.7mm fisheye HD lens,max 180degree angle CMOS Sensor,ICR IR Night vision,3PCS Array Leds 20M Max IR distance Metal Housing,indoor used	P01-AHD200	AHD 2MP	\$15.9	\$14.9
			P01-AHD500	AHD 5MP	\$17.9	\$16.9
			P01-AHD800	AHD 8MP	\$19.9	\$18.9
Picture	Package	Specification	Model No.	Resolution	1-99	≥100

	<p>Standard: 1X Camera 1X User Manual 1X Accessory bag</p>	<p>Pan Rotation Range: 0°~180° , Tilt Rotation Range: -45°~+45° Pan rotation speed:30°/s, Tilt rotation speed:25°/s. Metal appearance IP66 Lightning protection: instantly 6000V 4X: 6pcs IR led IR distance 60 meters 10X: 2pcs laser led+4pcs IR led IR distance 80 meters Single Box Size/G.W:40*20*16cm/2.5KG Outer Box Size/weight:55*41*59cm/60KG/24PCS</p>	<p>HDA345T-MX-4X</p>	<p>*NVP2441+IMX323 *2MP (1920*1080) 25FPS *4X optical Zoom</p>	<p>\$61.0</p>	<p>\$59.0</p>
	<p>Standard: 1X Camera 1X User Manual 1X Accessory bag</p>	<p>Pan Rotation Range: 0-350°,Tilt Rotation Range:0-70° Pan rotation speed:25°/s, Tilt rotation speed:20°/s. IP66 IK10 Lightning protection: instantly 3000V 4pcs IR led IR distance 30meters Single Box Size/G.W:15*15*15cm/1KG Outer Box Size/weight:65*34*47cm/24KG/24PCS</p>	<p>HDA46F-MX-4X</p>	<p>*NVP2441+IMX323 *2MP (1920*1080) 25FPS *4X optical Zoom</p>	<p>\$47.0</p>	<p>\$45.0</p>
	<p>Standard: 1X Camera 1X User Manual 1X Accessory bag</p>	<p>Pan Rotation Range: 0-360°,Tilt Rotation Range:0-93°. Pan rotation speed:45°/s ,Tilt rotation speed:30°/s. IP66 Lightning protection: instantly 6000V 6pcs IR led IR distance 60meters Single Box Size/G.W:18.5*18.5*28.5cm/3KG Outer Box Size/weight:57.5*39.5*31cm/18KG/3PCS</p>	<p>HDA54F-MX-20X</p>	<p>*NVP2441+IMX323 *2MP (1920*1080) 25FPS *20X optical Zoom</p>	<p>\$83.0</p>	<p>\$79.0</p>
	<p>Standard: 1X Camera 1X User Manual 1X Accessory bag</p>	<p>Pan Rotation Range: 0-360° ,Tilt Rotation Range:0-93°. Pan rotation speed:45°/s ,Tilt rotation speed:30°/s. IP66 Lightning protection: instantly 6000V 2pcs Laser led+7pcs IR led IR distance 150meters Single Box Size/G.W:25.5*21.5*41cm/6KG Outer Box Size/weight:52*42*43.5cm/24KG/4PCS</p>	<p>HDA605-MX-20X</p>	<p>*NVP2441+IMX323 *2MP (1920*1080) 25FPS *20X optical Zoom</p>	<p>\$89.0</p>	<p>\$85.0</p>
	<p>Standard: 1X Camera 1X User Manual 1X Accessory bag</p>	<p>3D Control</p>	<p>BT-1007</p>		<p>\$61.0</p>	<p>\$59.0</p>




AHD CCTV System


Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH AHD DVR(No HDD) 4X AHD Cameras 4X 20M BNC Cable for Cameras 1X 1 to 4 Power Splitter 1X Power Supply 3A 1X Power Cable for 3A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>DVR Specification: 6 in 1 Hybrid Digital Video Recorder Video compression:H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 1*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	<p>A0401GSAT500X2MP</p>	<p>2MP</p>	<p>\$83.0</p>	<p>\$81.0</p>
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>AHD Camera Specification: 5.0MP high resolution IR Night vision Default 3.6MM megapixel Lens Power :DC 12V Plastic housing,indoor used</p>	<p>A0801GSAT500X5MP</p>	<p>5MP</p>	<p>\$146.0</p>	<p>\$143.0</p>
	<p>1X Hybrid DVR(No HDD) 4X AHD Cameras 4X 20M BNC Cable for Cameras 2X DC12V Power adapter 1X 1 TO 4 Power Splitter 4X Screw bag ----- Box Size:41*19*28cm Box Weight:5.5KG CTN Size:53*41*52cm CTN QTY:6 sets</p>	<p>DVR Specification: 6 in 1 Hybrid Digital Video Recorder Video compression:H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 1*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	<p>AHD2004KDA</p>	<p>2MP</p>	<p>\$63.0</p>	<p>\$61.0</p>
	<p>1X Hybrid DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 3X DC12V Power adapter 2X 1 TO 4 Power Splitter 8X Screw bag ----- Box Size:41*28*28cm Box Weight:9KG CTN Size:53*41*52cm CTN QTY:4 sets</p>	<p>AHD Camera Specification: 5.0MP/2.0MP Optional IR Night vision,6PCS Array LED Default 3.6MM megapixel Lens Power :DC 12V Plastic housing,indoor used</p>	<p>AHD5004KDA</p>	<p>5MP</p>	<p>\$83.0</p>	<p>\$81.0</p>
			<p>AHD2008KDA</p>	<p>2MP</p>	<p>\$110.0</p>	<p>\$107.0</p>
			<p>AHD5008KDA</p>	<p>5MP</p>	<p>\$146.0</p>	<p>\$143.0</p>

	<p>1X Hybrid DVR(No HDD) 4X AHD Cameras 4X 20M BNC Cable for Cameras 2X DC12V Power adapter 1X 1 TO 4 Power Splitter 4X Screw bag</p> <p>Box Size:41*19*28cm Box Weight:5.5KG CTN Size:53*41*52cm</p>	<p>DVR Specification: 6 in 1 Hybrid Digital Video Recorder Video compression:H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 1*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	AHD2004KXA	2MP	\$69.0	\$67.0
	<p>1X Hybrid DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 3X DC12V Power adapter 2X 1 TO 4 Power Splitter 8X Screw bag</p> <p>Box Size:41*28*28cm Box Weight:9KG CTN Size:53*41*52cm</p>	<p>AHD Camera Specification: 5.0MP/2.0MP Optional IR Night vision,4PCS Array LED Default 3.6MM megapixel Lens Power :DC 12V Plastic housing,standard IP66 waterproof</p>	AHD5004KXA	5MP	\$87.0	\$85.0
	<p>1X Hybrid DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 3X DC12V Power adapter 2X 1 TO 4 Power Splitter 8X Screw bag</p> <p>Box Size:41*28*28cm Box Weight:9KG CTN Size:53*41*52cm</p>		AHD2008KXA	2MP	\$119.0	\$116.0
	<p>1X Hybrid DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 3X DC12V Power adapter 2X 1 TO 4 Power Splitter 8X Screw bag</p> <p>Box Size:41*28*28cm Box Weight:9KG CTN Size:53*41*52cm</p>		AHD5008KXA	5MP	\$156.0	\$153.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH AHD DVR(No HDD) 4X AHD Cameras 4X 20M BNC Cable for Cameras 1X 1 to 4 Power Splitter 1X Power Supply 3A 1X Power Cable for 3A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p> <p>Box Size:39.5*24.5*30cm</p>	<p>DVR Specification: 6 in 1 Hybrid Digital Video Recorder Video compression:H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 1*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	AB60U-2MP-4	2MP	\$78.0	\$76.0
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p> <p>Box Size:41*34.5*30cm</p>	<p>AHD Camera Specification: 3.6mm,HD lens,CMOS Sensor,ICR IR Night vision,4PCS Array Leds 5-25M IR distance Metal Housing,outdoor/indoor used</p>	AB60U-5MP-4	5MP	\$88.0	\$86.0
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p> <p>Box Size:41*34.5*30cm</p>		AB60U-2MP-8	2MP	\$135.0	\$132.0
	<p>1X 16CH AHD DVR(No HDD) 16X AHD Cameras 16X 20M BNC Cable for Cameras 2X 1 to 8 Power Splitter 2X Power Supply 5A 2X Power Cable for 5A 1X Power Supply for DVR 1X USB Mouse for DVR 1X User Manual</p> <p>Box Size:60*33*45cm</p>		AB60U-5MP-8	5MP	\$152.0	\$149.0
	<p>1X 16CH AHD DVR(No HDD) 16X AHD Cameras 16X 20M BNC Cable for Cameras 2X 1 to 8 Power Splitter 2X Power Supply 5A 2X Power Cable for 5A 1X Power Supply for DVR 1X USB Mouse for DVR 1X User Manual</p> <p>Box Size:60*33*45cm</p>		AB60U-2MP-16	2MP	\$253.0	\$249.0
	<p>1X 32CH AHD DVR(No HDD) 32X AHD Cameras 32X 20M BNC Cable for Cameras 4X 1 to 8 Power Splitter 4X Power Supply 5A 4X Power Cable for 5A 1X Power Supply for DVR 1X USB Mouse for DVR 1X User Manual</p>		AB60U-5MP-16	5MP	\$289.0	\$285.0
	<p>1X 32CH AHD DVR(No HDD) 32X AHD Cameras 32X 20M BNC Cable for Cameras 4X 1 to 8 Power Splitter 4X Power Supply 5A 4X Power Cable for 5A 1X Power Supply for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>DVR Specification: Operating System: Embedded Linux Video compression: H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 2*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	AB60U-5MP-24	5MP	\$502.0	\$498.0
	<p>1X 32CH AHD DVR(No HDD) 32X AHD Cameras 32X 20M BNC Cable for Cameras 4X 1 to 8 Power Splitter 4X Power Supply 5A 4X Power Cable for 5A 1X Power Supply for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>AHD Camera Specification: 5MP high resolution IR Night vision,4PCS Array Leds Default 3.6MM megapixel Lens Power :DC 12V Metal Bullet Camera,standard IP66 waterproof</p>	AB60U-5MP-32	5MP	\$615.0	\$611.0
Picture	Package	Specification	Model No.	Resolution	1-99	≥100
	<p>1X 4CH AHD DVR(No HDD) 4X AHD Cameras 4X 20M BNC Cable for Cameras 1X 1 to 4 Power Splitter 1X Power Supply 3A 1X Power Cable for 3A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>DVR Specification: 6 in 1 Hybrid Digital Video Recorder Video compression:H.265 Monitor quality: VGA,HDMI Motion detection:Support HDD: 1*SATA port (Up to 8TB) P2P Remote View: Support iOS, Android 20+ Languages Available Power supply : DC 12V Visit remotely by cloud or APP Xmeye APP</p>	A0401LMWD200	2MP	\$76.0	\$74.0
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>		A0401GSWD500	5MP	\$97.0	\$95.0
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>	<p>AHD Camera Specification: 5.0MP/2.0MP Optional IR Night vision,4PCS Array LED Default 3.6MM megapixel Lens Power :DC 12V Metal housing,standard IP66 waterproof</p>	A0801LMWD200	2MP	\$137.0	\$134.0
	<p>1X 8CH AHD DVR(No HDD) 8X AHD Cameras 8X 20M BNC Cable for Cameras 1X 1 to 8 Power Splitter 1X Power Supply 5A 1X Power Cable for 5A 1X Power Supply 2A for DVR 1X USB Mouse for DVR 1X User Manual</p>		A0801GSWD500	5MP	\$174.0	\$171.0
XVR 6 IN 1(1080N)						


Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	4CH 1080N@20fps, 2CH Play back 1 channel audio (1CH Audio)	A1004C	4CH 1HDD	\$23.5	\$22.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	8CH 1080N@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio)	A1008C	8CH 1HDD	\$32.5	\$31.5
Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	4CH 1080N@20fps, 2CH Play back 1 channel audio (1CH Audio)	A6704NS	4CH 1HDD	\$24.5	\$23.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	8CH 1080N@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio)	A6708NH	8CH 1HDD	\$32.5	\$31.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16*1080N@15fps (XVI front end), 16-channel playback (16CH Play back) 2-channel audio (2CH Audio) Expandable 6ch audio + alarm (can add to 6ch)	A6716NH	16CH 1HDD	\$54.9	\$52.9
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16*1080N@15fps (XVI front end), 16-channel playback (16CH Play back) 2-channel audio (2CH Audio) Expandable 6ch audio + alarm (can add to 6ch)	A8716NH	16CH 2HDD	\$59.9	\$57.9
Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	4CH 1080N@20fps, 2CH Play back 1 channel audio (1CH Audio)	A6904NS	4CH 1HDD	\$24.5	\$23.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	8CH 1080N@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio)	A6908NH	8CH 1HDD	\$34.5	\$33.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16*1080N@15fps (XVI front end), 16-channel playback (16CH Play back) 2-channel audio (2CH Audio) Expandable 6ch audio + alarm (can add to 6ch)	A6916NH	16CH 1HDD	\$54.9	\$52.9
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16*1080N@15fps (XVI front end), 16-channel playback (16CH Play back) 2-channel audio (2CH Audio) Expandable 6ch audio + alarm (can add to 6ch)	A8916NH	16CH 2HDD	\$59.9	\$57.9

XVR 6 IN 1(5MN)


Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	4CH 5MN@20fps, 2CH Play back 1 channel audio (1CH Audio)	A1004LME	4CH 1HDD	\$25.5	\$24.5
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD	8CH 5MN@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio) can be added to 4 channels of audio 3G/WIFI	A1008LME	8CH 1HDD	\$33.5	\$32.5
Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	4CH 5MN@20fps, 2CH Play back 1 channel audio (1CH Audio)	A6704LME	4CH 1HDD	\$26.5	\$25.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	8CH 5MN@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio) can be added to 4 channels of audio	A6708LME	8CH 1HDD	\$36.5	\$35.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16CH 5MN@12fps, 4-channel playback (4CH Play back) 2-channel audio (2CH Audio) can be added to 6-channel audio	A6716LME	16CH 1HDD	\$61.9	\$59.9
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16CH 5MN@12fps, 4-channel playback (4CH Play back) 2-channel audio (2CH Audio) can be added to 6-channel audio	A8716LME	16CH 2HDD	\$66.9	\$64.9
Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	4CH 5MN@20fps, 2CH Play back 1 channel audio (1CH Audio)	A6904LME	4CH 1HDD	\$26.5	\$25.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	8CH 5MN@12fps, 8-channel playback (8CH Play back) 1 channel audio (1CH Audio) can be added to 4 channels of audio	A6908LME	8CH 1HDD	\$36.5	\$35.5
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16CH 5MN@12fps, 4-channel playback (4CH Play back) 2-channel audio (2CH Audio) can be added to 6-channel audio	A6916LME	16CH 1HDD	\$61.9	\$59.9
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16CH 5MN@12fps, 4-channel playback (4CH Play back) 2-channel audio (2CH Audio) can be added to 6-channel audio	A8916LME	16CH 2HDD	\$66.9	\$64.9
Picture	Package	Specification	Model No.	CH	1-99	≥100

	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual 1xScrews For HDD Box G.W:12KG	32CH 5MN@12fps, 8-channel playback (8CH Play back) 16-channel audio (16CH Audio) 8-channel alarm (8CH Alarm) Dual bay (2HDD) 3G/WIFI	ADVR8032E-NLM	32CH 2HDD	\$178.0	\$175.0
---	--	--	----------------------	-----------	----------------	----------------

XVR 6 IN 1(5MP)

Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	4CH 4K-N/5MP@15ps, 4-channel playback (4CH Play back) 1CH Audio 3G/WIFI	A6904GS	4CH 1HDD	\$42.9	\$40.9
	1xNVR 1xPower Supply 1xUSB Mouse 1xUser Manual	8CH 4K-N/5MP@12fps, 2ch playback (2CH Play back) 1-channel audio (1CH Audio) can be added to 4-channel audio 3G/WIFI	A6908GS	8CH 1HDD	\$58.9	\$56.9

XVR 6 IN 1(4K)

Picture	Package	Specification	Model No.	CH	1-99	≥100
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	4CH 4K@15ps, 4-channel playback (4CH Play back) 1 channel audio (4CH Audio) 3G/WIFI RS485	A6704GL	4CH 1HDD	\$66.9	\$64.9
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	8CH 4K@15fps, 4 channels playback (4CH Play back) 4CH Audio (4CH Audio) 3G/WIFI RS485	A6708GL	8CH 1HDD	\$133.0	\$129.0
	1xDVR 1xDC 12V Power Supply 1xUSB Mouse 1xUser Manual	16*4K @4fps(6 in 1)/16*5M@6fps(6 in 1)/ 16*4M@9fps (6 in 1) /16*3M@10fps (6 in 1) / 16*1080P@16fps(6 in 1)	A6716GS	16CH 1HDD	\$125.0	\$121.0

Remarks

The prices are for reference only, the actual selling price subject to our final confirmation. Price is base on EX-Work Foshan.
We are willing to provide samples for your double check, but the sample cost and express fee are paid by the buyer.
The above quotation does not include tax and freight.
Lead time: 1-7 days for sample, bulk order depends on quantity and capacity.
Payment term: 100% payment before production or 30% deposit + 70% payment (paid before delivery).
Customized service: laser LOGO, color box(), manual or label, customers need to bear the customization fee.
After-sales service: one-year warranty (the motherboard cannot be repaired if it burns out), the replacement parts will be charged as appropriate or free, and life-long maintenance! Force ma
Certificate:CE,ROHS,FCC
Shipment: By Air express, by Sea, by Land